## TWENTY-NINTH ANNUAL MATHEMATICS CONTEST Sponsored by THE TENNESSEE MATHEMATICS TEACHERS' ASSOCIATION

ALGEBRA !! 1985 Prepared by: Walters State Community College

Mathematics Department Morristown, Tennessee Judy Hector, Coordinator

Scoring formula: 4R - W + 40 Edited by: Larry Bouldin, Roane State

Community College

## DIRECTIONS:

Do not open this booklet until you are told to do so.

This is a test of your competence in high school mathematics. For each problem there are listed 5 possible answers. You are to work each problem, determine the best answer, and indicate your choice by making a heavy black mark in the proper place on the separate answer sheet provided. You must use a pencil with a soft lead (No. 2 lead or softer).

This test has been constructed so that most of you are not expected to answer all questions. Do your very best on the questions you feel you know how to work. You will be penalized for incorrect answers, so it is advisable not to do wild guessing.

If you should change your mind about an answer, be sure to erase completely. Do not mark more than one answer for any problem. Make no stray marks of any kind on your answer sheet. The answer sheets will not be returned to you. If you wish a record of your performance, mark your answers in this booklet also. You will be able to keep this booklet after the test is completed.

When told to do so, open your test booklet to page 2 and begin. When you have finished one page, go on the the next. The working time for the entire test is 80 minutes.

Contributors to TMTA for Annual Mathematics Contest:

Beasley Distributing Company, Inc., Chattanooga, Tennessee Donnelley Printing Company, Gallatin, Tennessee

IBM Corporation, Nashville, Tennessee

Dr. Hai Ramer, President, Volunteer State Community College, Gallatin, Tennessee

Sears, Madison, Tennessee

Shoney's Inc., Nashville, Tennessee

1. If 
$$(3x - 5y = -13)$$
 then  $y = ?$ 

$$-3 (4x + 3y = 2)$$

$$-3 (1)$$

$$-3 (2x - 20y = -5z)$$

$$-7zx - 9y = -5z$$

$$-7zx - 9y = -$$

**b**)) 2

- c)
- 2. If  $\theta = 45^{\circ}$ , then  $\sin \theta + \tan \theta =$

(b)  $1 + \sqrt{3}$ 

- Does not exist
- 3. The curves  $y = \frac{1}{\sqrt{2}}$  and  $x^2 + y^2 = 4$  intersect in how many points?
  - a)

b)

- c)
- The larger root of  $x^2 + 3x 40 = 0$  is (x + 8)(x-5) = 0

a)

10 d)


20

- 5. The numbers 32 and 64 are written in base 9. Their product written in base 9 is
  - 2725 a)

d) 2248

b) 1068 2268

c)



- The slope of the straight line perpendicular to 2x 3y = 1 at the -3y=-3x+1 point (1/2, 0) is 4=3x-4
  - 3 a)

-2/3d)

1/3 b)

-3/2

- 2/3 c)
- A circle whose center lies on the line y = 2x + 1 and passes through the points (-10,0) and (-3,-7) has its center at
  - (1, 3)a)

(-2, -3)

(2.5)b)

(0,1)e)

- (-1,-1)c)
- The radius of the circle of problem 7 is
  - **J** 5 a)

d) 13

b)

**J**82 e)

- 7 c)
- The solutions to the inequality  $x^2 3x > 18$  are
  - x < -3 and x < 6
- d) x < -2 or x > 9
- $\times < -3 \text{ or } \times > 6$
- x < 3 and x > -6e)
- x > -3 and x < 6
- 10. If x + 2y 2z = 2 $then \times + y + z = ?$

$$2.7.3x + y - 3z = -6$$

$$x - 2y + z = -7$$

a) -1

-2 d)

0 b)

2 e)

c) 1  $\chi^{2} = 3 \times -1870$  (x-6)(x+3) > 0

11. If  $9x^2 + 15x - 6$  is factored as (ax + b)(cx - d) where a, b, c, d are positive integers, then d = ?

a) 5

d) 4

b) 2

e) 6

c) 3

12. If  $x^4 - 16x^2 + 24x - 9$  is factored as  $(x^2 + ax - b)(x^2 - cx + d)$  where a, b, c, d are positive integers, then c = ?

a) 6

d) 3

b) 4

e) 2

c) 8

13. A rectangular canvas is twice as long at the top as it is wide. It has a picture with a margin of two inches at the top and bottom and one inch on each side. If the picture is 176 square inches in area, find the length of the canvas.

a) 12

d) 32

b) 16

e) 14

- c) 24
- 14.  $\begin{vmatrix} \sin x & \cos^2 x \end{vmatrix}$  equals
- d)  $tan^2x$

b) 0

e) cos2x

c) -1

15.	The length of a rectangular rock garden is 2 meters more than its
	width. If each dimension were increased by 3 meters, the area would
	be increased by 33 square meters. Find the length of the original
	garden.

a) 8 d) 3

b) 6

9 e)

5 c)

The fourth term in the expansion of  $(x^2 - 2y)^8$  is:

 $-56 \times 5$  y a)

d)  $-448x^5y^3$ e)  $-56x^7y^3$ 

b)  $-448 \times {}^{10} y^3$ 

c)  $56x^{10}y^3$ 

The equation  $x^4 + x^2 - 5x - 2 = 0$  has how many rational roots?

a)

d) 3

b)

e)

c)

The equation  $\sqrt{x^2 + 3} = x^2 + 1$  has how many real roots?

a)

d)

b) 1

4 e)

c) 2

If 3 coins are tossed in the air, what is the probability that at least one will turn up heads?

1/8 a)

7/8 d)

b) 3/8

1/2 e)

c) 3/4

20.	How many	Hice	nse pla	tes ar	-е р	ossible	)	f the	form	nat i	s 2	lett	ers
	followed	by 3	digits	and f	the	letter	0	cannot	be	used	1 n	the	first
	space?												

a) 650,000

d) 676,000

b) 100,000

e) 450,000

- c) 473,850
- 21. Given the equation  $2x^2 4x k = 0$ , where x is the variable, determine the value of k so that one root is 5 times the other.
  - a) 9/10

d) 1/2

b) -10/9

e) -9/10

- c) -1/4
- 22. If  $f(x) = x^3$ , then f(1 + h) f(1) is

h

a) 0

d)  $3 + 3h^2 + h^3$ 

b)  $h^2$ 

e)  $3 + 3h + h^2$ 

- c)  $3 + h^2$
- 23. If the two polynomials in x,  $ax^3 + bx^2 + cx + d + 2$  and  $7x^3 8x^2 + 2cx + 2d$  are equal for 4 distinct values of x, find the values of a, b, c, d.
  - a) a = 7 b = -5 c = 4 d = 3
  - b) a = 3 b = -4 c = 0 d = 5
  - c) a = 4 b = -6 c = 7 d = 2
  - d) a = 7 b = -8 c = 0 d = 2
  - e) a = 7 b = 8 c = 1 d = 0

## Algebra II

24.	Let	g(x) = 2 - 3x. What is $g(g(x))$	<))?	
	a)	-(9x + 4)	d)	9x - 4
	b)	9x + 8	e)	$4 - 12x + 9x^2$
	c)	2 - 3x		
25.	The	graphs of the functions $y = 3$	$^{ imes}$ and	y = log <sub>3</sub> x
	a)	Intersect when x is infinite	ely la	rge
	b)	intersect in a single point		
	c)	do not intersect		
	d)	intersect in exactly two pol	nts	
	e)	never intersect the x-axis		
26.	Sinc	ce the area of the surface of	a sph	ere varies as the square of its
	radi	us, what effect does multiply	ing t	he radius by 3 have on the area
	of t	he surface?		
	a)	multiplies it by 3	d)	divides it by 9
	p)	divides it by 3	e)	multiplies it by 6
	c)	multiplies it by 9		
27.	lf I	$og_9 1/2 + log_9 x = 3/2$ , then	x is	equal to
	a)	3	d)	1
	b)	9	e)	54
	c)	27		
28.	lf l	og $10^a = 1/2$ , then $\log_a 100 =$	:	
	a)	1/4	d)	1/2
	b)	1	e)	4
	c)	2		
			7	
			ſ	

29.	If I	og $2 = .301$ and $\log 3 = .477$ ,	what	is log 12?
	a)	.602	d)	1.255
	b)	.778	e)	1.079
		.954		
30.	What	is the coefficient of $x^6y^4$ in	1 (2x	$+ 3xy^2)^6$ ?
	a)	144	d)	2160
	b)	240	e)	576
	c)			
31.	Eval	uate 3 -10 2 -7		
		2 -7		
	a)	-41	d)	-1
	b)	41	e)	
	c)	1		
32.	For v	what value of a is the determ	Inant	equal to 12?
		0 0 2 0 3 0 0 0 0 0 0 a		
	a١	-1/2	۹)	Λ
	b)		d) e)	-1
	υı	1/4	<b>U</b> /	-4

c) 6

3/2

7/4

**-**5/2

a)

b)

c)

33. The maximum value of  $-x^2 + 5x - 4$  is

d)

e)

5/2

9/4

- 34. A club of 3 men and 4 women selects different officers (a president and a secretary) every month at random. What is the probability of the slate of officers having a woman as president?
  - a) 9/21

d) 12/21

b) 4/42

e) none of these

- c) 4/21
- 35. If f(x) is a real-valued function, the domain of  $f(x) = \frac{\sqrt{x}}{x^2 1}$  is
  - a)  $x \ge 0$

d) all real numbers

b) -1 < x < 1

- e) all real numbers except ± 1
- c)  $0 \le x < 1 \text{ or } x > 1$
- 36. If matrix  $A = \begin{bmatrix} 2 & 1 \\ 3 & 4 \end{bmatrix}$  and matrix  $B = \begin{bmatrix} -1 \\ -2 \end{bmatrix}$

then A X B =

a)  $\begin{bmatrix} -2 & -1 \\ -6 & -8 \end{bmatrix}$ 

- d) B X A
- e) does not exist

- b)  $\begin{bmatrix} 1 & 0 \\ 1 & 2 \end{bmatrix}$
- c)  $\begin{bmatrix} -4 \\ -11 \end{bmatrix}$
- 37. The greatest common divisor of the polynomials  $x^3 + 2x^2 9x 18$  and  $x^4 16x^3 + 86x^2 176x + 105$  is
  - a) x + 3

d) x - 5

b) x - 3

e) x + 2

c) x - 2

					ŭ
38.	The	operation a {.} b is define	d l	ру а	$\{.\}$ b = $a^3 - b^3$ . The operation is
	a)	Associative and commutativ			
	b)	Associative, but not commu	ta-	llve	
	c)	Commutative, but not assoc	la	tive	
	d)	Neither commutative, nor a	SSC	oclati	ive
	e)	Closed in the set of irrat	lor	nal ni	numbers
39.	How	many imaginary roots does 2	x <sup>5</sup>	+ × <sup>4</sup>	$+ x^2 + 1 = 0$ have?
	a)	1		d)	4
	b)	2		e)	5
	c)	3			
40.	The	system of linear equations	4×	<b>-</b> 3y	= 8 has a unique solution $(x,y)$
			ax	+ 2y	= 5
	ехсе	p† when a Is			
	a)	-8/3		d)	8/3
	b)	<b>~2</b>		e)	0

c)

5/2

		,	